

UNIVERSITI TEKNOLOGI MARA

**MINIMUM THRESHOLD OF NEAR VISUAL
ACUITY OF DIFFERENT CORRELATED
COLOUR TEMPERATURE IN PRESBYOPIA**

SITI HAJAR AIDA BINTI SAMSURI

Project submitted in partial fulfilment of the requirements for the

Bachelor of Optometry (Hons)

Faculty of Health Science

JULY 2015

AUTHOR'S DECLARATION

I declare that the work in this dissertation was carried out in accordance with the regulations of University Teknologi MARA. It is original and is the results of my own work, unless otherwise indicated or acknowledged as referenced work. This topic has not been submitted to any other academic institution or non-academic institution for any degree or qualification.

In the event that my dissertation be found to violate the conditions mentioned above, I voluntarily waive the right of conferment of my degree and agree be subjected to the disciplinary rules and regulations of Universiti Teknologi MARA.

Name of Candidate : Siti Hajar Aida binti Samsuri

Candidate I.D.No. : 2011689692

Programme : Bachelor of Optometry (Hons)

Faculty : Health Sciences

Thesis Title : Minimum Threshold of Near Visual Acuity of Different
Correlated Colour Temperature in Presbyopia

Signature of Candidate:

Date : July 2015

TABLE OF CONTENTS

Title	Page
AUTHOR'S DECLARATION	ii
SUPERVISOR SIGNATURE	iii
ACKNOWLEDGEMENT	iv
TABLE OF CONTENTS	v
LISTS OF TABLES	viii
LIST OF FIGURES	ix
LIST OF EQUATIONS	x
LIST OF SYMBOLS	xi
LIST OF ABBREVIATIONS	xii
ABSTRACT	xiii
ABSTRAK	xiv

CHAPTER1: INTRODUCTION

1.1	Introduction	1
1.2	Problem statement	3
1.3	Objectives	4
1.4	Research question	4
1.5	Research hypotheses	4
1.6	Significance study	5

CHAPTER 2: LITERATURE REVIEW

2.1	Age-related Physical Changes of Eye in Older Adults	6
2.2	Human's Visual Function	7
2.3	Demand of Near Vision in Presbyopia	8
2.4	Suitable Design Lighting in Presbyopia Environment	9
2.5	Correlated Colour Temperature	9
2.6	Near Acuity Chart	10
2.7	Effect of CCT on Near Visual Acuity	11

2.8	Pupil Size Role in Different CCT	11
2.9	Accommodative Pupillary Response in Older Adults	12
2.10	Correlated Colour Temperature and Illumination	13
2.11	Energy Saving in Lighting System	13

CHAPTER 3: METHODOLOGY

3.1	Research Design	14
3.2	Research Protocol	14
3.2.1	Screening Test	16
3.3	Subject Selection	20
3.3.1	Sample Size Calculation	20
3.3.2	Subject Criteria	21
3.4	Setting of Light	23
3.5	Specification of Near VA Chart	24
3.6	Scoring of Near VA	25
3.7	Testing Procedure	26
3.8	Ethical Approval	31
3.9	Statistical Analysis	31

CHAPTER 4: RESULT

4.1	Demographic Data	32
4.2	Normality Test	32
4.3	Threshold of near visual acuity (logMAR) under different correlated colour temperature (CCT)	33
4.4	The relationship of CCT and illumination level on VA performance	35

CHAPTER 5: DISCUSSION

5.1	Mean VA of Presbyopia under three Levels of CCT	37
5.2	Factors that affected near VA acuity score	38
5.2.1	Effect of VA related with Age Related Change of Eye in Older People	38
5.2.2	Letter Identification of ETDRS chart	39

ABSTRACT

Introduction: The correlated colour temperature (CCT) of light is important factor that can affect near visual acuity (VA) in presbyopia. Within the normal near VA, it is possible that under different level of CCT of light, the minimum threshold acuity that can be achieved in presbyopia could be different compared to other ages. **Objective:** To determine the minimum threshold of near VA that can be achieved by presbyopia under different level of CCT using 2856 K, 4100 K and 6500 K of light and whether there is any difference of minimum threshold of near VA between three levels of CCT light. **Materials and methods:** This study involved subject aged between 35-65 years old (3 male, 11 female) with mean refractive error of -0.75DS and mean addition power of +2.04 DS. The subject was asked to read the letter acuity using Early Treatment Diabetic Retinopathy Screening (ETDRS) chart under three different levels of CCT light which are 2856 K, 4100 K and 6500 K. All the testing was done in the light booth (GTI LITE MODEL CMB 3064). For each CCT light, it required at least one day gap. **Results:** The mean of minimum threshold of near VA in 6500 K have highest mean value compared to 2856 K and 4100 K. The result from repeated measure ANOVA showed there was no statistically significant difference between the means of minimum threshold of near visual acuity that can be achieved by presbyopia and different level of CCT of light ($p > 0.05$) **Conclusion:** The highest CCT light 6500 K give better mean minimum of threshold near VA (logMAR) compared to 4100 K and 2856 K based on the mean result of minimum threshold of near VA (logMAR).

Keywords: Threshold, Near Visual Acuity, Correlated Colour Temperature, Presbyopia